

Bird's Bush Primary School

Calculation Policy



The purpose of our Calculation Policy is to ensure consistency in the teaching of Mathematics throughout the school and to ensure that pupils develop efficient written and mental methods of calculation, underpinned by conceptual understanding.

Calculation Policy

This policy provides an overview of the strategies used in our school to teach Mathematics, specifically the four operations, as defined within the National Curriculum in England: Mathematics Programme of Study.










The progression of the four operations (+, -, \times and \div) are shown across each of the primary year groups 1 – 6. This is a guide since children progress at different rates. Teachers should model strategies appropriate to the ability of the children they teach, regardless of their year group, whilst striving to achieve age related expectations at the end of the academic year.









At Bird's Bush Primary School, we believe that children should be introduced to the processes of calculation through the **concrete**, **pictorial** and **abstract** (CPA) approach. Our children are introduced to calculation through practical activities, using **concrete** resources. As children develop their understanding of the underlying concepts and mathematical models, they develop ways of recording to support their thinking. In the first instance, this recording takes the form of **pictorial** representations. Over time, children learn how to use models and images to support their mental and informal written methods of calculation.

As children become more proficient in their use of mental methods, their informal written methods also become more efficient. Some recording takes the form of jottings, which are used to support children's thinking. More **abstract**, formal written methods are taught only when the child is able to use a wide range of mental calculation strategies and these are always underpinned by **concrete** and **pictorial** experiences.










Our ultimate aim is for children to be able to select an efficient method to solve problems. Therefore children will be encouraged to look at a calculation or problem and to determine the most appropriate method to choose – pictures, mental calculation with or without jottings or a formal, written method.

The end of year expectations in the National Curriculum shows the progression in children's use of calculation within the following strands 'Addition and Subtraction' and 'Multiplication and Division'. These end of year expectations will be achieved through the use of the following written methods of calculation.


Year	Addition +	Subtraction -	Multiplication x	Division ÷
1	<ul style="list-style-type: none"> Add one-digit and two-digit numbers to 20 including zero. Read, write and interpret mathematical statements involving addition (+) and equal (=) signs. 	<ul style="list-style-type: none"> Subtract one-digit and two-digit numbers to 20 including zero. Read, write and interpret mathematical statements involving subtraction (-) and equal (=) signs. 	<ul style="list-style-type: none"> Begin to understand multiplication through doubling numbers and quantities. Use arrays and sets of 'equal groups' to look at other multiples, e.g. $\times 5$. 	<ul style="list-style-type: none"> Begin to understand division through grouping and sharing small quantities.
	<p>Addition of single digits: $5 + 3 = 8$</p> <p>...using concrete equipment:</p>  <p>(Numicon)</p> <p>Addition of two digit numbers to 20 and a one digit number: $12 + 5 = 17$</p> <p>...using concrete equipment:</p>  <p>(Dienes)</p> <p>...using concrete equipment:</p>  <p>(Dienes and ten frames)</p> <p>...using concrete equipment:</p>  <p>(Bead Strings)</p>	<p>Subtraction of single digits $7 - 4 = 3$</p> <p>...using concrete equipment:</p>  <p>(Numicon)</p> <p>Subtraction of a one-digit number from a two-digit number to 20. $13 - 4 = 9$</p> <p>...using concrete equipment:</p>  <p>(Dienes)</p> <p>...using concrete equipment:</p>  <p>(Ten frames)</p>	<p>Doubling – linking to $\times 2$ Double 4 is 8 or $4 + 4 = 8$ or $4 \times 2 = 8$</p> <p>... using concrete equipment:</p>  <p>(Numicon)</p> <p>... using pictorial representations:</p>  <p>Use an array or equal groups to solve multiplication problems for multiples other than 2 5, 3 times or $5 \times 3 = 15$</p> <p>... using concrete equipment</p>  <p>(Dienes)</p> <p>I then use my 10s checker</p>  <p>(Dienes)</p>	<p>Sharing equally Share 10 into 2 equal groups</p> <p>... using concrete equipment:</p>  <p>Count how many are in each set = 5</p> <p>(Numicon)</p> <p>Model putting the 2s on top of the ten Numicon tile. How many 2s have I used? 5</p> <p>... using pictorial representations:</p>  <p>... using abstract number sentences:</p> $10 \div 2 = 5$ <p>Grouping How many 2s are in 10? What is 10 grouped into twos?</p> <p>... using concrete equipment:</p>  <p>Count how many groups = 5</p> <p>... using pictorial representations:</p> 

<p>...using pictorial representations:</p> <p>(Number line)</p>  <p>(Counters)</p>  <p>(Bead Strings)</p>  <p>... using abstract mental strategies:</p> <p>(Counting on)</p> <p>"put 12 in your head and count on 5"</p> <p>13, 14, 15, 16, 17</p> 	<p>(Number Line)</p>  <p>(Counters)</p>  <p>(Bead Strings)</p>  <p>...using pictorial representations:</p> <p>(Number Line)</p>  <p>(Counters)</p>  <p>...using abstract mental strategies:</p> <p>(Counting back)</p> <p>"put 13 in your head and count back 4"</p> 	<p>(Arrays and ten frames)</p>  <p>...using pictorial representations:</p> <p>(Arrays)</p>  <p>... using abstract mental strategies:</p> <p>(Counting in multiples)</p> <p>5 10 15 or 2, 4, 6</p> 	 <p>... using abstract number sentences:</p> <p>$10 \div 2 = 5$</p>
<p>2</p> <ul style="list-style-type: none"> ★ Add numbers, including: <ul style="list-style-type: none"> ▪ a two-digit number and ones ▪ a two-digit number and tens ▪ two two-digit numbers ▪ adding three one-digit numbers 	<ul style="list-style-type: none"> ★ Subtract numbers, including: <ul style="list-style-type: none"> ▪ a two-digit number and ones ▪ a two-digit number and tens ▪ two two-digit numbers ★ Show that subtraction of two numbers cannot be done in any order. 	<ul style="list-style-type: none"> ★ Calculate multiplication statements within the 2, 5 and 10 multiplication tables and write them using the multiplication (\times) and equals ($=$) signs. ★ Show that multiplication of two numbers can be done in any order (commutative). 	<ul style="list-style-type: none"> ★ Calculate division statements within the 2, 5 and 10 multiplication tables and write them using the division (\div) and equals ($=$) signs. ★ Show that division of numbers cannot be done in any order.


<ul style="list-style-type: none"> Show that addition of two numbers can be done in any order (commutative). 			
<p>Addition of a two-digit number and ones: $52 + 5 = 57$</p> <p>...using concrete equipment: (Numicon) (Dienes)</p> <p>(Place value counters)</p> <p>...using pictorial representations:</p> <p>Addition of a two-digit number and tens $34 + 20 = 54$</p> <p>...using concrete equipment: (Numicon) (Dienes)</p> <p>(Place value counters)</p> <p>Subtraction of a two-digit number and tens $47 - 20 = 27$</p> <p>...using concrete equipment: (Numicon) (Dienes)</p> <p>(Place value counters)</p>	<p>Subtraction of a two-digit number and ones $45 - 4 = 41$</p> <p>... using concrete equipment: (Numicon) (Dienes)</p> <p>(Place value counters)</p> <p>...using pictorial representations:</p> <p>Subtraction of a two-digit number and tens $17 - 20 = 27$</p> <p>...using concrete equipment: (Numicon) (Dienes)</p> <p>(Place value counters)</p>	<p>Multiplication of two numbers within the 2, 3, 5, 10 multiplication tables.</p> <p>Introduce \times sign to mean 'how many time' and model recording calculations $5 \times 3 = 15$ or 5, 3 times = 15</p> <p>Understand multiplication can be done in any order $3 \times 5 = 15$ and $5 \times 3 = 15$.</p> <p>... using concrete equipment (Numicon)</p> <p>I then use my 10s checker</p> <p>(Arrays and ten frames)</p> <p>(Counters – one to many correspondence)</p> <p>1) Because I am counting in multiples of 2, I need to write 2 on my counters. I need as many counters as it takes me to count in multiples of 2 to get to 10 e.g. 2, 4, 6, 8, 10.</p> <p>2) Now, I need to point at each counter and count how many groups I have e.g. 1, 2, 3, 4, 5.</p> <p>... using pictorial representations:</p> <p>2) Now, point at each counter, counting in multiples of 5 e.g. 5, 10, 15.</p>	<p>Division of numbers within known multiplication tables</p> <p>Consolidate understanding of 'sharing' and 'grouping' as outlined within Year 1.</p> <p>Grouping</p> <p>How many 2s are in 10? What is 10 grouped into twos?</p> <p>...using concrete equipment:</p> <p>Count how many groups = 5</p> <p>(Counters – one to many correspondence)</p> <p>1) Because I am counting in multiples of 5, I need to write 5 on my counters. I need three counters.</p> <p>2) Now, point at each counter, counting in multiples of 5 e.g. 5, 10, 15.</p>

<p>...using pictorial representations:</p>  <p>Addition of two two-digit numbers (no exchange): $34 + 23 = 57$</p> <p>...using concrete equipment:</p> <p>(Numicon)</p>  <p>(Dienes)</p>  <p>(Place value counters)</p>  <p>...using pictorial representations:</p>  <p>Addition of two two-digit numbers (exchange) $47 + 24 = 71$</p>	<p>... using pictorial representations:</p>  <p>Subtraction two two-digit numbers (no regrouping) $47 - 23 = 24$</p> <p>...using concrete equipment:</p> <p>(Numicon)</p>  <p>(Dienes)</p>  <p>(Place value counters)</p>  <p>... using pictorial representations:</p>  <p>Subtraction two two-digit numbers (regrouping) $52 - 27 = 25$</p> <p>...using concrete equipment:</p> <p>(Place value counters)</p>  <p>7 ones cannot be subtracted from 2 ones, so exchange 1 ten with 10 ones.</p>	<p>...using pictorial representations:</p> <p>(Arrays)</p>  <p>(Counters – one to many correspondence)</p> <p>1) I need to write 2 as many times as it takes me to count in multiples of 2 to get to 10 e.g. 2, 4, 6, 8, 10.</p> <p>2) Now, I need to draw circles around my numbers to count how many groups I have e.g. 1, 2, 3, 4, 5.</p> <p>5 5 5</p> <p>2) Now, I need to draw circles around my numbers and count in multiple of 5. E.g. '5, 10, 15'</p> <p>5 5 5</p> <p>... using abstract mental strategies:</p> <p>(Counting in multiples)</p> <p>5 10 15 or 2, 4, 6 or 10, 20, 30</p>  <p>Calculate mathematical statements within the 2, 5 and 10 multiplication tables and write them using the multiplication (\times) and equals (=) signs.</p> <p>$4 \times 5 = 20$ $7 \times 10 = 70$ $9 \times 2 = 18$</p>	<p>(Counters – one to many correspondence)</p> <p>1) I need to write 2 as many times as it takes me to count in multiples of 2 to get to 10 e.g. 2, 4, 6, 8, 10.</p> <p>2 2 2 2 2</p> <p>2) Now, I need to draw circles around my numbers to count how many groups I have e.g. 1, 2, 3, 4, 5.</p> <p>2 2 2 2 2</p> <p>Pupils write number sentences to represent their workings out using the division (\div) and equals (=) signs.</p>
--	---	--	--

...using **concrete equipment**:
(Numicon)



Then, I use my 10 checker.



(Place value counters)

Tens	Ones
10 10 10 0	1 1 1 1
10 10	1 1 1 1

Because I have more than 9 ones, I need to exchange 10 ones for 1 ten.

Tens	Ones
10 10 10 0	1 1 1 1
10 10 10	1 1 1 1

Tens	Ones
10 10 10 0	1

Tens	Ones
10 10 10 0	1 1
	1 1 1 1


Now, subtract 7 ones.

Tens	Ones
10 10 10 0	1 1


Now, subtract 2 tens.

Tens	Ones
10 10	1 1
	1 1

...using **pictorial** representations:




7 ones cannot be subtracted from 2 ones so exchange 1 ten with 10 ones.



Now, subtract 7 ones.



Now, subtract 2 tens.






Following the **concrete equipment** and **pictorial** representations, children will use **abstract**, mental strategies:







$$45 - 4 = 41$$








$$47 - 20 = 27$$

$$47 - 23 = 24$$

$$52 - 27 = 25$$

<p>...using pictorial representations:</p>  <p>Because I have more than 9 ones, I need to exchange 10 ones for 1 ten.</p>  <p>Following the concrete equipment and pictorial representations, children will use abstract mental strategies:</p> <p>$52 + 5 = 57$ $34 + 20 = 54$ $34 + 23 = 57$ $47 + 24 = 71$</p> <p>Addition of three single digit numbers:</p> <p>$4 + 7 + 6 = 17$</p> <p>... using concrete equipment:</p> <p>Identify number bonds if possible, e.g. 4 and 6 make 10 / $4 + 6 = 10$. Then, add on 7 (Numicon)</p>  <p>... using abstract, mental strategies:</p> <p>$(4) + 7 + (6) = 17$</p> <p>Identify the two numbers that make ten and then add on the remaining number mentally.</p>			
<p>3</p> <ul style="list-style-type: none"> ★ Add numbers mentally, including: <ul style="list-style-type: none"> • a three-digit number and ones • a three-digit number and tens 	<ul style="list-style-type: none"> ★ Subtract numbers mentally, including: <ul style="list-style-type: none"> • a three-digit number and ones • a three-digit number and tens 	<ul style="list-style-type: none"> ★ Recall and use multiplication facts for the 3, 4 and 8 multiplication tables. ★ Multiply using multiplication tables that they know, including for two-digit numbers 	<ul style="list-style-type: none"> ★ Recall and use division facts for the 3, 4 and 8 multiplication tables. ★ Divide using known multiplication tables, including for two-digit numbers divided by

<ul style="list-style-type: none"> a three-digit number and hundreds Add numbers with up to three digits, using formal written methods of columnar addition 	<ul style="list-style-type: none"> a three-digit number and hundreds Subtract a two-digit or 3-digit number from a two-digit or 3 digit number using a formal written method 	times one-digit numbers, using efficient written methods- 'partitioning method'	one-digit numbers, using mental methods, progressing to efficient written methods
<p>Addition of a three-digit number and ones: $176 + 3 = 179$</p> <p>... using concrete equipment: (Dienes)</p>  <p>(Place value counters)</p>  <p>Addition of a three-digit number and tens: $342 + 50 = 392$</p> <p>... using concrete equipment: (Dienes)</p> 	<p>Subtraction of a three-digit number and ones: $136 - 4 = 132$</p> <p>...using concrete equipment: (Dienes)</p>  <p>(Place value counters)</p>  <p>Subtraction of a three-digit number and tens: $273 - 40 = 233$</p> <p>...using concrete equipment: (Dienes)</p> 	<p>Recall and use multiplication facts for the 3, 4 and 8 multiplication tables.</p> <p>$8 \times 4 = 32$</p> <p>... using concrete equipment</p> <p>(Counters – one to many correspondence)</p> <p>1) Because I am counting in multiples of 8, I need to write 8 on my counters. I need as many counters as it takes me to count in multiples of 8 to get to 56 e.g. 8, 16, 24, 32, 40, 48, 56.</p>  <p>2) Now, point at each counter, counting in multiples of 8 e.g. 8, 16, 24, 32.</p> <p>...using pictorial representations:</p> <p>(Counters – one to many correspondence)</p> <p>1) I need to write 8 out four times and count '1, 2, 3, 4' as I do this.</p>  <p>2) Now, I need to draw circles around my numbers and count in multiple of 8. E.g. '8, 16, 24, 32'</p>  <p>... using abstract mental strategies:</p> <p>(Counting in multiples)</p> <p>3, 6, 9... or 4, 8, 12... or 8, 12, 16...</p> <p>Multiplication of a two-digit number by a one-digit number.</p>	<p>Recall and use division facts for the 3, 4 and 8 multiplication tables.</p> <p>$56 \div 8 = 7$</p> <p>... using concrete equipment</p> <p>(Counters – one to many correspondence)</p> <p>1) Because I am counting in multiples of 8, I need to write 8 on my counters. I need as many counters as it takes me to count in multiples of 8 to get to 56 e.g. 8, 16, 24, 32, 40, 48, 56.</p>  <p>2) Now, I need to point at each counter and count how many groups I have e.g. 1, 2, 3, 4, 5, 6, 7.</p> <p>...using pictorial representations:</p> <p>(Counters – one to many correspondence)</p> <p>1) I need to write 8 as many times as it takes me to count in multiples of 8 to get to 56 e.g. 8, 16, 24, 32, 40, 48, 56.</p>  <p>2) Now, I need to draw circles around my numbers to count how many groups I have e.g. 1, 2, 3, 4, 5, 6, 7.</p>  <p>Division of a two-digit number by a one-digit number, using known multiplication tables.</p> <p>$60 \div 3 = 20$</p> <p>... using concrete equipment</p>

 <p>(Place value counters)</p> <table border="1" data-bbox="224 539 628 698"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>10</td> <td>0</td> </tr> <tr> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <p>Subtraction of a three-digit number and hundreds: $324 - 200 = 124$</p> <p>... using concrete equipment:</p> <p>(Dienes)</p> 	Hundreds	Tens	Ones	3	10	0	0	0	0	<p>(Place value counters)</p> <table border="1" data-bbox="696 158 1123 317"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>3</td> <td>4</td> </tr> <tr> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <p>Count the number of ones, and then count the number of tens.</p>	Hundreds	Tens	Ones	2	3	4	0	0	0																																																
Hundreds	Tens	Ones																																																																	
3	10	0																																																																	
0	0	0																																																																	
Hundreds	Tens	Ones																																																																	
2	3	4																																																																	
0	0	0																																																																	
<p>Addition of a three-digit number and hundreds: $306 + 300 = 606$</p> <p>... using concrete equipment:</p> <p>(Dienes)</p>  <p>(Place value counters)</p> <table border="1" data-bbox="696 873 1123 1032"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>3</td> <td>6</td> </tr> <tr> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <p>Subtraction of numbers with up to three digits $263 - 129 = 134$</p> <p>...using concrete equipment:</p> <p>(Dienes)</p> 	Hundreds	Tens	Ones	3	3	6	0	0	0	<p>13 x 4 = 52 $24 \times 3 = 72$</p> <p>...using concrete equipment</p> <p>(Dienes)</p> <table border="1" data-bbox="1190 269 1617 412"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td>0</td> <td>2</td> <td>4</td> </tr> <tr> <td>0</td> <td>3</td> <td>6</td> </tr> <tr> <td>0</td> <td>4</td> <td>8</td> </tr> <tr> <td>0</td> <td>5</td> <td>0</td> </tr> </tbody> </table> <p>Count the number of ones, and then count the number of tens.</p>	Hundreds	Tens	Ones	0	1	2	0	2	4	0	3	6	0	4	8	0	5	0																																							
Hundreds	Tens	Ones																																																																	
3	3	6																																																																	
0	0	0																																																																	
Hundreds	Tens	Ones																																																																	
0	1	2																																																																	
0	2	4																																																																	
0	3	6																																																																	
0	4	8																																																																	
0	5	0																																																																	
<p>(Place value counters)</p> <table border="1" data-bbox="202 1254 628 1429"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>0</td> <td>0</td> </tr> <tr> <td>0</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <p>Sharing (Dienes)</p>  <p>Grouping</p>  <p>(Place value counters)</p> <table border="1" data-bbox="696 952 1123 1111"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>4</td> <td>0</td> </tr> <tr> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td>0</td> <td>2</td> <td>4</td> </tr> <tr> <td>0</td> <td>3</td> <td>6</td> </tr> <tr> <td>0</td> <td>4</td> <td>8</td> </tr> <tr> <td>0</td> <td>5</td> <td>0</td> </tr> </tbody> </table> <p>6 tens \div 3 = 2 tens = 20</p> <p>Dividing a two-digit numbers by one-digit numbers.</p> <p>$54 \div 3 = 18$.</p> <p>...using concrete equipment:</p> <p>(Numicon)</p>  <p>Share the tens equally into 3 groups.</p> 	Hundreds	Tens	Ones	3	0	0	0	0	0	Hundreds	Tens	Ones	0	4	0	0	1	2	0	2	4	0	3	6	0	4	8	0	5	0	<p>First calculation</p> <p>(Place value counters)</p> <table border="1" data-bbox="1190 825 1617 984"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>1</td> <td>0</td> </tr> <tr> <td>0</td> <td>2</td> <td>0</td> </tr> <tr> <td>0</td> <td>3</td> <td>0</td> </tr> <tr> <td>0</td> <td>4</td> <td>0</td> </tr> </tbody> </table> <p>Count the number of ones, and then count the number of tens.</p> <p>(Place value counters)</p> <table border="1" data-bbox="1190 1063 1617 1222"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>4</td> <td>0</td> </tr> <tr> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td>0</td> <td>2</td> <td>4</td> </tr> <tr> <td>0</td> <td>3</td> <td>6</td> </tr> <tr> <td>0</td> <td>4</td> <td>8</td> </tr> <tr> <td>0</td> <td>5</td> <td>0</td> </tr> </tbody> </table> <p>40 + 12 = 52</p>	Hundreds	Tens	Ones	0	1	0	0	2	0	0	3	0	0	4	0	Hundreds	Tens	Ones	0	4	0	0	1	2	0	2	4	0	3	6	0	4	8	0	5	0
Hundreds	Tens	Ones																																																																	
3	0	0																																																																	
0	0	0																																																																	
Hundreds	Tens	Ones																																																																	
0	4	0																																																																	
0	1	2																																																																	
0	2	4																																																																	
0	3	6																																																																	
0	4	8																																																																	
0	5	0																																																																	
Hundreds	Tens	Ones																																																																	
0	1	0																																																																	
0	2	0																																																																	
0	3	0																																																																	
0	4	0																																																																	
Hundreds	Tens	Ones																																																																	
0	4	0																																																																	
0	1	2																																																																	
0	2	4																																																																	
0	3	6																																																																	
0	4	8																																																																	
0	5	0																																																																	

Addition of numbers with up to three digits
 $263 + 129 = 392$

...using **concrete** equipment:
(Dienes)

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	9 yellow squares

Exchange 10 ones for 1 ten.

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	

3 9 2

9 ones cannot be subtracted from 3 ones so exchange 1 ten for 10 ones.

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	9 yellow squares

Now, subtract 9 ones.

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	1 yellow square

Now, subtract 2 tens.

Thousands	Hundreds	Tens	Ones
	2 blue squares	6 vertical green lines	3 yellow squares
	1 blue square	2 vertical green lines	

Now, subtract 1 hundred.

Thousands	Hundreds	Tens	Ones
	1 blue square	6 vertical green lines	3 yellow squares
		2 vertical green lines	

(Place value counters)

Hundreds	Tens	Ones
2 green circles	10, 10, 10 0, 10, 10	3 red circles

9 ones cannot be subtracted from 3 ones so exchange 1 ten for 10 ones.

Second calculation

Hundreds	Tens	Ones
	10, 10 10, 10 10, 10	1, 1, 1, 1, 1, 1, 1, 1, 1

Count the number of ones, and then count the number of tens.


Hundreds	Tens	Ones
	10, 10 10, 10 10, 10	1, 1, 1, 1, 1, 1, 1, 1, 1
		60

$$60 + 12 = 72$$

...using **pictorial** representations


First calculation

Count the ones first, then the tens and add the numbers together.



$$40 + 12 = 52$$

Second calculation



$$60 + 12 = 72$$

...using **abstract** methods

Use of partitioning method, independent of equipment and diagrams.

I have 24 left over. Now I need to divide 24 by 3.



(Numicon)

$$\begin{array}{r} 5 \\ 3 \overline{) 12} \\ 9 \\ \hline 3 \end{array}$$

How many 3s goes into 5?



$$\begin{array}{r} 5 \\ 3 \overline{) 24} \\ 18 \\ \hline 6 \end{array}$$

Now, make 24 and check how many 3s go into 24.

$$\begin{array}{r} 5 \\ 3 \overline{) 24} \\ 18 \\ \hline 6 \end{array}$$

<p>... using abstract mental strategies (Column method)</p> $ \begin{array}{r} 2 \ 6 \ 3 \\ + \ 1 \ 2 \ 9 \\ \hline 3 \ 9 \ 2 \\ \hline 1 \end{array} $ <p>Progression in columnar addition:</p> <p>Step 1 (to introduce) 2 digits - no exchanging e.g. $45 + 32$</p> <p>Step 2 2 digits - exchanging to the tens e.g. $43 + 18$</p> <p>Step 3 3 digits - exchanging to the tens e.g. $263 + 119$</p> <p>Step 4 3 digits - exchanging to the hundreds e.g. $357 + 261$</p> <p>Step 5 3 digits - exchanging to the thousands e.g. $847 + 931$</p> <p>Step 6 2 and 3 digit numbers - understand place value including the place value of columns.</p>	<p>...using abstract mental strategies (Column method)</p> $ \begin{array}{r} 5 \ 1 \\ 2 \ \cancel{6} \ 3 \\ - \ 1 \ 2 \ 9 \\ \hline 1 \ 3 \ 4 \end{array} $ <p>Progression in columnar subtraction:</p> <p>Step 1 (to introduce) 2 digits - no exchanging e.g. $58 - 27$</p> <p>Step 2 2 digits - exchanging from tens e.g. $42 - 18$</p> <p>Step 3 3 digits - exchanging from tens e.g. $263 - 119$</p> <p>Step 4 3 digits - exchanging from hundreds e.g. $347 - 261$</p> <p>Step 5 2 from 3 digit numbers - understand place value including the place value of columns.</p>	<p>4</p> <ul style="list-style-type: none"> Add numbers with up to 4 digits using mental strategies and the formal written methods (columnar addition) Add numbers with 2 decimal places, using formal written methods (columnar addition) Subtract numbers with up to 4 digits using mental strategies and the formal written methods (columnar subtraction) Subtract numbers with 2 decimal places, using formal written methods (columnar subtraction) Recall multiplication facts for multiplication tables up to 12×12. Multiply two-digit and three-digit numbers by a one-digit number using formal written layout e.g. 84×6, 216×4 Multiply three-digit numbers with 1 decimal place by a one-digit number using formal written layout e.g. 134.5×7 Recall division facts for multiplication tables up to 12×12. Divide numbers up to 3 digits by a 1 digit number using the formal written method (no remainders) 	

<p>Addition of numbers with up to four digits: ...using concrete equipment</p> <p>Use of place value chart and dienes (as used in Year 3).</p> <table border="1" data-bbox="190 277 595 452"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Use of place value chart and place value counters (as used in Year 3).</p> <table border="1" data-bbox="190 531 595 722"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>...using pictorial representations</p> <p>Use of place value counters to support understanding (as used in Year 3).</p> <p>...using abstract strategies (Column method)</p> <p>four digit + four digit</p> $ \begin{array}{r} 4 \ 4 \ 7 \ 8 \\ + 3 \ 7 \ 6 \ 2 \\ \hline 8 \ 2 \ 4 \ 0 \end{array} $	Thousands	Hundreds	Tens	Ones																	Thousands	Hundreds	Tens	Ones																	<p>Subtraction of numbers with up to four digits ...using concrete equipment</p> <p>Use of place value chart and dienes (as used in Year 3).</p> <table border="1" data-bbox="696 309 1100 484"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>Use of place value chart and place value counters (as used in Year 3).</p> <table border="1" data-bbox="696 563 1100 754"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> </tbody> </table> <p>...using pictorial representations</p> <p>Use of place value counters to support understanding (as used in Year 3).</p> <p>...using abstract strategies</p> <p>four digit – four digit</p> $ \begin{array}{r} 6 \ 4 \ 6 \ 7 \\ - 2 \ 6 \ 8 \ 4 \\ \hline 3 \ 7 \ 8 \ 3 \end{array} $	Thousands	Hundreds	Tens	Ones																	Thousands	Hundreds	Tens	Ones																	<p>Recall and use multiplication facts for the multiplication tables up to 12×12. ...using concrete equipment</p> <p>Use of counters – one to many correspondence (as used in Year 3).</p> <p>...using pictorial representations</p> <p>Use of counters – one to many correspondence (as used in Year 3).</p> <p>... using abstract mental strategies:</p> <p>Counting in multiples (the same as year 3 but involving all multiplication facts up to 12×12)</p> <p>Multiplication of two and three digit numbers by a one-digit number</p> $216 \times 4 = 864$ <p>...using concrete equipment (Place value counters)</p> <table border="1" data-bbox="1190 833 1594 1008"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr><td></td><td>2 green dots</td><td>1 yellow dot</td><td>6 red dots</td></tr> </tbody> </table> <p>First, count how many ones there are. Pupils to count in multiples e.g. 6, 12, 18, 24. Because I have '24' ones in one place value column, I know I need to exchange 20 ones for 2 tens and count how many ones are left.</p> <table border="1" data-bbox="1190 1198 1594 1357"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr><td></td><td>2 green dots</td><td>1 yellow dot</td><td>6 red dots</td></tr> </tbody> </table>	Thousands	Hundreds	Tens	Ones		2 green dots	1 yellow dot	6 red dots		2 green dots	1 yellow dot	6 red dots		2 green dots	1 yellow dot	6 red dots		2 green dots	1 yellow dot	6 red dots	Thousands	Hundreds	Tens	Ones		2 green dots	1 yellow dot	6 red dots		2 green dots	1 yellow dot	6 red dots		2 green dots	1 yellow dot	6 red dots		2 green dots	1 yellow dot	6 red dots	<p>Recall and use division facts for the multiplication tables up to 12×12. ...using concrete equipment</p> <p>Use of counters – one to many correspondence (as used in Year 3).</p> <p>... using pictorial representations</p> <p>Use of counters – one to many correspondence (as used in Year 3).</p> <p>... using abstract mental strategies:</p> <p>Counting in multiples (the same as year 3 but involving all division facts up to 12×12)</p> <p>Divide numbers with up to three-digit by a one-digit number</p> $976 \div 8 = 122$ <p>...using concrete equipment (Numicon)</p> <p>How many 8s go into 976?</p> <table border="1" data-bbox="1751 794 1976 936"> <tr><td>8</td><td>9</td><td>7</td><td>6</td></tr> <tr><td>8</td><td>8</td><td>8</td><td>8</td></tr> </table> $ \begin{array}{r} 9 \ 7 \ 6 \\ \hline 8 \ \square \end{array} $ <p>How many 8s go into 976?</p> <table border="1" data-bbox="1751 1016 1976 1191"> <tr><td>8</td><td>9</td><td>7</td><td>6</td></tr> <tr><td>8</td><td>8</td><td>8</td><td>8</td></tr> </table> $ \begin{array}{r} 9 \ 7 \ 6 \\ \hline 8 \ \square \end{array} $	8	9	7	6	8	8	8	8	8	9	7	6	8	8	8	8
Thousands	Hundreds	Tens	Ones																																																																																																																																								
Thousands	Hundreds	Tens	Ones																																																																																																																																								
Thousands	Hundreds	Tens	Ones																																																																																																																																								
Thousands	Hundreds	Tens	Ones																																																																																																																																								
Thousands	Hundreds	Tens	Ones																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
Thousands	Hundreds	Tens	Ones																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
	2 green dots	1 yellow dot	6 red dots																																																																																																																																								
8	9	7	6																																																																																																																																								
8	8	8	8																																																																																																																																								
8	9	7	6																																																																																																																																								
8	8	8	8																																																																																																																																								

<p>four digit + three digits Understanding place value and the place value of columns</p> $ \begin{array}{r} 1 \ 4 \ 5 \ 6 \\ + 7 \ 6 \ 5 \\ \hline 2 \ 2 \ 2 \ 1 \\ \hline 1 \ 1 \ 1 \end{array} $	<p>four digit - three digit Understanding place value and the place value of columns</p> $ \begin{array}{r} 1 \ 14 \ 13 \ 1 \\ - 8 \ 5 \ 4 \ 3 \\ \hline 8 \ 7 \ 6 \\ \hline 1 \ 6 \ 6 \ 7 \end{array} $	<p>Now, count how many tens there are.</p> <table border="1" data-bbox="1237 144 1632 296"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td>4 red dots</td> </tr> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td></td> </tr> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td></td> </tr> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td></td> </tr> <tr> <td></td> <td></td> <td>6 yellow dots</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>4 red dots</td> </tr> </tbody> </table> <p>Now, count how many hundreds there are. Pupils to count in multiples. E.g. 2, 4, 6, 8'</p>	Thousands	Hundreds	Tens	Ones		3 green dots	1 yellow dot	4 red dots		3 green dots	1 yellow dot			3 green dots	1 yellow dot			3 green dots	1 yellow dot				6 yellow dots					4 red dots	<p>Now, make 17 and check how many 8s go into 17.</p> $ \begin{array}{r} 1 \ 2 \\ 8 \ \boxed{q} \ 17 \ 16 \\ \end{array} $
Thousands	Hundreds	Tens	Ones																												
	3 green dots	1 yellow dot	4 red dots																												
	3 green dots	1 yellow dot																													
	3 green dots	1 yellow dot																													
	3 green dots	1 yellow dot																													
		6 yellow dots																													
			4 red dots																												
<p>Using 0 as a place holder</p> $ \begin{array}{r} 2 \ 6 \ 0 \ 5 \\ + 8 \ 0 \ 9 \\ \hline 3 \ 4 \ 1 \ 4 \\ \hline 1 \ 1 \end{array} $	<p>Using 0 as a place holder</p> $ \begin{array}{r} 5 \ \cancel{1} \ 9 \ 1 \\ - 2 \ \cancel{5} \ 0 \ 5 \\ \hline 8 \ 9 \\ \hline 2 \ 5 \ 1 \ 6 \\ \hline 1 \ \cancel{1} \ 9 \ \cancel{1} \ 9 \ 1 \\ - 2 \ \cancel{4} \ \cancel{0} \ 0 \\ \hline 8 \ 9 \\ \hline 2 \ 5 \ 1 \ 6 \\ \hline 1 \ 5 \ 2 \ 5 \end{array} $	<table border="1" data-bbox="1237 392 1632 544"> <thead> <tr> <th>Thousands</th> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td>4 red dots</td> </tr> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td></td> </tr> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td></td> </tr> <tr> <td></td> <td>3 green dots</td> <td>1 yellow dot</td> <td></td> </tr> <tr> <td></td> <td></td> <td>6 yellow dots</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td>4 red dots</td> </tr> </tbody> </table> <p>...using pictorial representations</p> 	Thousands	Hundreds	Tens	Ones		3 green dots	1 yellow dot	4 red dots		3 green dots	1 yellow dot			3 green dots	1 yellow dot			3 green dots	1 yellow dot				6 yellow dots					4 red dots	<p>Now, make 16 and check how many 8s go into 16.</p> $ \begin{array}{r} 1 \ 2 \ 2 \\ 8 \ \boxed{q} \ 17 \ 16 \\ \end{array} $
Thousands	Hundreds	Tens	Ones																												
	3 green dots	1 yellow dot	4 red dots																												
	3 green dots	1 yellow dot																													
	3 green dots	1 yellow dot																													
	3 green dots	1 yellow dot																													
		6 yellow dots																													
			4 red dots																												
<p>Numbers with 1 decimal place</p> $ \begin{array}{r} 3 \ 7 \ 9 \ . \ 3 \\ + 2 \ 0 \ 3 \ . \ 5 \\ \hline 5 \ 8 \ 2 \ . \ 8 \\ \hline 1 \end{array} $	<p>Numbers with 1 decimal place</p> $ \begin{array}{r} 2 \ 5 \ 1 \ 6 \ . \ 5 \\ - 1 \ 9 \ 7 \ 5 \\ \hline 6 \ 2 \ 1 \ 1 \\ \hline 1 \ 5 \ 2 \ 5 \end{array} $	<p>First, count how many ones there are. Pupils to count in multiples e.g. 6, 12, 18, 24. Because I know I cannot have '24' ones in one place value column, I know I need to exchange 20 ones for 2 tens and count how many ones are left.</p> 	<p>...using abstract methods</p> <p>Progression in the formal written method for division:</p>																												
<p>Numbers with 2 decimal places</p> $ \begin{array}{r} 3 \ 7 \ 9 \ . \ 3 \ 4 \\ + 2 \ 0 \ 3 \ . \ 5 \ 2 \\ \hline 5 \ 8 \ 2 \ . \ 8 \ 6 \\ \hline 1 \end{array} $	<p>Numbers with 2 decimal places</p> $ \begin{array}{r} 3 \ 1 \\ 7 \ \cancel{1} \ 3 \ . \ 7 \\ - 2 \ 1 \ 6 \ . \ 2 \\ \hline 5 \ 2 \ 7 \ . \ 5 \ 1 \end{array} $	<p>Step 1</p> <p>Two and three-digit numbers divided by a one-digit number – no exchanging across place value columns e.g. $84 \div 4 = 21$, $396 \div 3 = 132$</p> $ \begin{array}{r} 2 \ 1 \\ 4 \ \boxed{8} \ 4 \\ \end{array} $	<p>Step 2</p> <p>Two and three-digit numbers divided by a one-digit number – involving exchanging across place value columns without remainders e.g. $138 \div 6 = 23$, $976 \div 8 = 122$</p> $ \begin{array}{r} 1 \ 3 \ 2 \\ 3 \ \boxed{3} \ 9 \ 6 \\ \end{array} $																												
<p>*Use partitioning methods to support understanding of columnar addition where appropriate.</p>	<p>Numbers with 2 decimal places</p> $ \begin{array}{r} 3 \ 1 \\ 7 \ \cancel{1} \ 3 \ . \ 7 \ 2 \\ - 2 \ 1 \ 6 \ . \ 2 \ 1 \\ \hline 5 \ 2 \ 7 \ . \ 5 \ 1 \end{array} $	<p>Step 1</p> <p>Two and three-digit numbers divided by a one-digit number – no exchanging across place value columns e.g. $84 \div 4 = 21$, $396 \div 3 = 132$</p> $ \begin{array}{r} 2 \ 1 \\ 4 \ \boxed{8} \ 4 \\ \end{array} $	<p>Step 2</p> <p>Two and three-digit numbers divided by a one-digit number – involving exchanging across place value columns without remainders e.g. $138 \div 6 = 23$, $976 \div 8 = 122$</p> $ \begin{array}{r} 1 \ 3 \ 2 \\ 3 \ \boxed{3} \ 9 \ 6 \\ \end{array} $																												

*Use partitioning methods to support understanding of columnar subtraction where appropriate.

Now, count how many tens there are and how many hundreds there are. Pupils to count in multiples e.g. 2, 4, 6, 8.

...using **abstract** methods

Progression in column multiplication:

Step 1 (to introduce)

two digits x one digit - no exchanging e.g. 32
 $\times 3$

$$\begin{array}{r} 3 \quad 2 \\ \times \quad 3 \\ \hline 9 \quad 6 \end{array}$$

Step 2

two digits x one digit – exchange to tens e.g.
 23×4

(Expand to model exchanging)

(Sometimes new arrivals arrive knowing the expanded version)

$$\begin{array}{r} 2 \quad 3 \\ \times \quad 4 \\ \hline 9 \quad 2 \\ \hline 1 \end{array} \quad \begin{array}{r} 2 \quad 3 \\ \times \quad 4 \\ \hline 1 \quad 2 \\ + \quad 8 \quad 0 \\ \hline 9 \quad 2 \end{array}$$

Step 3

two digits x one digit – exchange to tens and hundreds e.g. 84×6

$$\begin{array}{r} 8 \quad 4 \\ \times \quad 6 \\ \hline 5 \quad 0 \quad 4 \\ \hline 5 \quad 2 \end{array} \quad \begin{array}{r} 8 \quad 4 \\ \times \quad 6 \\ \hline 2 \quad 4 \\ + \quad 4 \quad 8 \quad 0 \\ \hline 5 \quad 0 \quad 4 \end{array}$$

	0	2	3	
6	1	3	18	
	1	2	2	
8	9	17	16	

* Introduce the concept of a remainder.

			<p>Step 4 three digits x one digit – exchange to tens e.g. 219×4</p> $ \begin{array}{r} 219 \\ \times 4 \\ \hline 876 \\ 3 \end{array} $ <p>Step 5 three digits x one digit – exchange to tens, hundreds and thousands e.g. 425×4</p> $ \begin{array}{r} 425 \\ \times 4 \\ \hline 1800 \\ 122 \end{array} $	
5	<ul style="list-style-type: none"> Add whole numbers with more than 4 digits (and with up to 3 decimal places), including using formal written methods (columnar addition) 	<ul style="list-style-type: none"> Subtract whole numbers with more than 4 digits (and with up to 3 decimal places), including using formal written methods (columnar subtraction) 	<ul style="list-style-type: none"> Multiply numbers up to 4 digits by a 1 digit number using a formal written method e.g. 3721×7 Multiply one-digit numbers with up to three decimal places by whole numbers Multiply numbers up to 4 digits by 2-digit number using a formal written method e.g. 3721×37 	<ul style="list-style-type: none"> Divide numbers up to 4 digits by a one-digit number using the formal written method and interpret remainders Divide numbers up to 4 digits with up to 3 decimal places by a one-digit number using the formal short written method
	<p>The same as Year 4 but with larger numbers and with a greater number of decimal places – up to 3 decimal places. Continue to ensure that the use of '0' as a placeholder is used to ensure pupils are confident with the exchanging and adding on process.</p>	<p>The same as Year 4 but with larger numbers and with a greater number of decimal places – up to 3 decimal places. Continue to ensure that the use of '0' as a placeholder is used to ensure pupils are confident with the exchanging process.</p>	<p>Multiplication of a four-digit numbers by a one-digit numbers.</p> <p>...using concrete equipment</p> <p><i>Use of place value counters (as used in Year 4).</i></p> <p>... using pictorial representations</p> <p><i>Use of place value counters (as used in Year 4).</i></p> <p>... using abstract methods:</p> $ \begin{array}{r} 3721 \\ \times 7 \\ \hline 26047 \\ 251 \end{array} \qquad \begin{array}{r} 4725 \\ \times 9 \\ \hline 42525 \\ 4624 \end{array} $	<p>Division of numbers with up to four digits by a one-digit number.</p> <p><i>Consolidate understanding of using the formal written method without remainders as outlined within Year 4.</i></p> <p>... using concrete equipment</p> <p><i>Use of Numicon (as used in Year 4)</i></p> <p>... using abstract methods</p> <p>Progression in the formal written method for division:</p>

Multiplication of a one-digit number with up to three decimal places by a one-digit number.

$$\begin{array}{r} 1 . 4 3 \\ \times 6 \\ \hline 8 . 5 8 \\ 2 \quad 1 \end{array}$$

Develop to up to 4 digits with up to 3 decimal places by a one-digit number.

Multiplication of a four-digit number by a two-digit number.

$$\begin{array}{r} 3 7 0 1 \\ \times 3 7 \\ \hline 2 5 9 0 7 \\ + 1 1 1 0 3 0 \\ \hline 1 3 6 9 3 7 \end{array}$$

Step 1

Two-digit number divided by one-digit number – with remainders

$$76 \div 6 = 12 \text{ r } 4$$

Step 2

Three-digit number divided by one-digit number – with remainders

$$852 \div 7 = 121 \text{ r } 5$$

Round up or down given the context of the problem.

Step 3

Up to four-digits with up to 3 decimal places by a one-digit number

				<p>Step 4</p> <p>Four-digit number divided by one-digit number – with remainders- interpreted as a decimal (to 3 decimal places)</p> <p>$6497 \div 8 = 812.125$</p> <table border="1"> <tr> <td></td><td>0</td><td>8</td><td>1</td><td>2</td><td>.</td><td>1</td><td>2</td><td>5</td> </tr> <tr> <td>8</td><td>6</td><td>4</td><td>9</td><td>7</td><td>.</td><td>0</td><td>20</td><td>40</td> </tr> </table>		0	8	1	2	.	1	2	5	8	6	4	9	7	.	0	20	40
	0	8	1	2	.	1	2	5														
8	6	4	9	7	.	0	20	40														
6	<ul style="list-style-type: none"> Add multi-digit numbers with more than 4 digits (with up to 3 decimal places), using formal written methods (columnar addition) 	<ul style="list-style-type: none"> Subtract multi-digit numbers with more than 4 digits (with up to 3 decimal places), using formal written methods (columnar subtraction) 	<ul style="list-style-type: none"> Multiply multi-digit numbers up to 4 digits by a two-digit whole number using the formal written method of long multiplication 	<ul style="list-style-type: none"> Divide numbers up to 4 digits (with up to 3 decimal places) by a two-digit whole number using the formal written method of division, and interpret remainders as whole number remainders, fractions, or by rounding, as appropriate for the context <ul style="list-style-type: none"> Short division Long division 																		
	The same as Year 4 and 5 but with multi-digit numbers with more than 4 digits (and with up to 3 decimal places).	The same as Year 4 and 5 but with multi-digit numbers with more than 4 digits (and with up to 3 decimal places).	<p>Multiplication of a four-digit number by a two-digit number.</p> $ \begin{array}{r} 3 \ 7 \ 0 \ 1 \\ \times \ \ \ \ 3 \ 7 \\ \hline 2 \ 5 \ 9 \ 0 \ 7 \\ + \ \ \ \ 1 \ 1 \ 1 \ 0 \ 3 \ 0 \\ \hline 1 \ 3 \ 6 \ 9 \ 3 \ 7 \end{array} $	<p>Consolidate understanding of using the formal written method for dividing three-digit number with up to 3 decimal places by one-digit number as outlined in Year 5.</p> <p>Division of numbers with up to four-digits and three decimal places, by a two-digit whole number.</p> <p>$4138 \div 17 = 243 \text{ r } 7$</p> <p>...using concrete equipment</p> <p>Use of Numicon (as used in Year 4 and Year 5)</p> <p>...using abstract methods</p> <p>Short Division</p> <table border="1"> <tr> <td></td> <td></td> <td></td> <td>2</td> <td>4</td> <td>3</td> <td>r 7</td> </tr> <tr> <td>1</td> <td>7</td> <td>4</td> <td>4</td> <td>1</td> <td>7</td> <td>3</td> <td>5</td> <td>8</td> </tr> </table> <p>= 243 remainder 7 or 243 r 7 or 243.7/17 or 243.41 or 243 (to the nearest whole number)*</p> <p>*Answer according to the question.</p>				2	4	3	r 7	1	7	4	4	1	7	3	5	8		
			2	4	3	r 7																
1	7	4	4	1	7	3	5	8														

Long Division

$$\begin{array}{r} 2 \ 4 \ 3 \ r \ 7 \\ 1 \ 7 \overline{)4 \ 1 \ 3 \ 8} \\ 3 \ 4 \\ \hline 7 \ 3 \\ 6 \ 8 \\ \hline 5 \ 8 \\ 5 \ 1 \\ \hline 7 \end{array}$$

